

skf bearing cross size chart mm

Our company offers different skf bearing cross, bearing interchange by size, bearing interchange by size, bearing interchange manual at Wholesale Price? Here, you can get high quality and high efficient skf bearing cross

SKF bearings cross reference | SKF bearing interchange SKF bearings cross reference, these tables of SKF bearings interchange are given contain only the basic types, not exact details such as precision, matching,

SKF Bearings Master Interchange Master Interchange. For automotive, heavy truck, and agricultural bearings. Includes ball, cylindrical, needle, tapered, special bearings and hub assemblies Part Interchange Search | NTN Bearing NTN competes with the biggest names in the bearing industry. Chances are, if you're looking to replace your Timken, SKF, or Koyo bearing, we make a drop-in

@@@@@@@@								
	F	D	B	t	E	P	Z	A
88580-2R	-	-	-	-	-	-	-	-
S								
88649/10	-	30mm	-	-	-	-	-	-
89446/10	-	-	-	-	-	-	-	-
89446/10	-	-	-	-	-	-	-	-
95925 / 95525	-	-	-	-	-	-	-	-
AC 523438-1	-	-	-	-	-	-	-	25.5 mm
AC5033	-	-	-	-	-	-	-	-
AC52343 8-1	-	-	34.9 mm	-	-	-	-	45 mm
ACH004C -2DTP4	-	-	-	-	-	-	50.7 mm	36 mm
ACH004C -2TDP4	-	140mm	48mm	-	-	-	-	-
ACH014C A-5DBBC S4/140	-	62 mm	-	-	-	-	-	-
ACH014C A-5DBBC S4/140 with	-	3.75 Inch	0.813 Inch	-	-	-	-	-
ACH014C A-5DTCS 4/140	-	300mm	96mm	-	-	-	-	-
ACH913C	-	-	-	-	204 mm	-	-	-

AH 3156	-	130 mm	-	-	-	-	-	-
B -108	-	-	48 mm	-	-	-	-	-
B 1616	-	-	-	-	-	-	-	-
B 2414	-	-	22 mm	-	-	-	14 mm	36 mm
B 2424	-	-	42.9 mm	-	-	-	-	34 mm
B-1110	-	115mm	20mm	-	-	-	-	-
B-1612	-	-	15 mm	-	-	-	-	-
B-1612 P BL	-	-	34 mm	-	-	-	-	32 mm
B1616	-	310mm	51mm	-	-	-	-	-
B168	-	200mm	-	-	-	-	-	-
B2010	-	-	-	-	-	-	-	-
B-2012	-	-	-	-	-	-	-	-
B2020	-	-	27 mm	-	-	-	16.5 mm	-
B-2212	-	360mm	-	-	-	-	-	-
B24	-	340mm	118mm	-	-	-	-	-
B-24	-	120mm	31mm	-	-	-	-	-
B2412	-	-	34 mm	-	-	-	-	-
B-2416	-	80mm	-	-	-	-	-	-
B-2416	-	-	22 mm	-	-	-	-	-
B2420	-	-	21.4 mm	-	-	-	-	-
B-2420	-	-	-	-	-	-	-	-
B2620	-	40mm	-	-	-	-	-	-
B-2620	-	-	-	-	-	-	-	-
B59	-	-	-	-	-	-	-	37 mm
B-66	-	-	-	-	80 mm	-	-	-
B-68	-	-	-	-	-	-	70.2 mm	-
:L125	-	-	-	-	-	-	-	-
BA2616	-	120mm	-	-	-	-	-	-
BAH 0185	-	-	-	-	-	-	46.2 mm	-
BH 1610	-	-	49.2 mm	-	-	-	-	-
BH 1612	-	140mm	26mm	-	-	-	-	-
BH 1616	-	47 mm	14 mm	-	-	-	-	-
BH 1812	-	100mm	21mm	-	-	-	-	-
BH 2012	-	47mm	14mm	-	-	-	-	-
BH 2016	-	-	-	-	-	-	-	-
BH 2412	-	111.12 mm	28.58 mm	-	-	-	-	-
BH 2416	-	260mm	42mm	-	-	-	-	-
BH 2420	-	-	-	-	-	-	-	-
BH 3316	-	90mm	33mm	-	-	-	-	-
BH 1816	-	62mm	16mm	-	-	-	-	-
BH-1412	-	16 mm	5 mm	-	-	-	-	-
BH1624	-	-	-	-	-	-	82 mm	-
BH-168	-	300mm	-	-	-	-	-	-
BH-1816	-	-	68.2 mm	-	-	-	-	-

BH-810	-	180mm	60mm	-	-	-	-	-
BHA 1416	-	-	-	-	-	-	-	-
BHA2020	-	125mm	-	-	-	-	-	-
BL211	-	-	9 mm	-	-	-	-	-
BM28393 0A	-	90 mm	41.3 mm	-	-	-	-	-
CPM 2168	-	-	-	-	-	-	-	-
CRSB-8	-	125mm	18mm	-	-	-	-	-
CS204.2R S	-	-	-	-	25 mm	-	-	60 mm
CS210.2R S	-	-	74.6 mm	-	-	-	-	70 mm
CSK 30 PP	-	-	-	-	-	-	-	-
CSK 45 PP	-	380mm	62mm	-	-	-	-	-
CSK-15-P P	-	-	24 mm	-	-	-	-	-
CSK-17-P P	-	-	9mm	-	-	-	-	-
CSK-20-P P	10 mm	-	13 mm	1 mm	-	-	-	-
CSK-25-P P	-	60.32 mm	-	-	-	-	-	-
CSK-45-P P	-	-	-	-	-	-	-	-
CSK-60-2 RS	-	-	-	-	-	150 mm	-	-
CT70	-	-	-	-	-	-	17.2 mm	-
CT70B	-	-	-	-	-	-	24.4 mm	-
DAC 2552 W-13 CS25	-	-	-	-	-	-	-	-
DAC 3055w -3CS31	-	170mm	58mm	-	-	-	-	-
DAC 346437 2RS	-	-	65.1 mm	-	-	-	-	-
DAC 356437 2RS	-	170mm	68.3mm	-	-	-	-	-
DAC 4072 W-10 CS74	-	130mm	13mm	-	-	-	-	-
DAC 4379	-	-	-	-	-	-	-	-

-W1CS57								
DAC2552 0037C	-	30mm	-	-	-	-	-	-
DAC2858 RK	-	-	130mm	-	-	-	-	-
DAC3055 W-3CS31	-	-	-	-	-	-	-	-
DAC3060 0037	-	-	30 mm	-	-	-	-	-
DAC3562 W-10CS5 1	-	-	27 mm	-	-	-	-	38 mm

SKF Online Parts CatalogAutomotive Light & Medium Duty ApplicationsHeavy Duty ApplicationsVIN LookupInterchangePart Information. Year: Make: Model: Product: Engine: Torque

SKF bearings cross reference | SKF bearing interchangeSKF bearings cross reference, these tables of SKF bearings interchange are given contain only the basic types, not exact details such as precision, matching, SKF mobile site - ShowMeThePartsCars & Light Trucks. Med. & Heavy Duty. Cross Reference. Part Search. VIN Search. Home. Suppliers. Knowledge. Favorites. Contact

@@@@@				
FAG	INA	FBJ	Timken	ISO
6810 2RS	6307 2Z/C3	6307-2Z-C4	6308 or (308 GPZ)	6308-2Z/C3
6811 2RS	6307 2Z/C3 E	6307-2ZJ/C3	6308 RS	6308--2Z/C3
684ZZ	"6307 2z/c3	6307-2ZJC3	6308 RS/P6	6308-2Z/C4
686ZZP5	? 350 degrees?"	6307-2Z-J-C3-K08	6308 RS1	63082ZC3
687/672	6307 2ZC3	6307C3	6308 VA201	6308-2ZC3
688Z	6307 2ZNR (RANURADO) (UN)	6307-C3	6308 Z	6308-2Z-C3
AS160200	6307 c3	6307-J/C3	6308 Z C3	6308?2Z?C3
AS1730	6307 C4	6307M JEM (C3)	6308 Z C3	6308-2ZR/C3
AS2035	6307 C4 S2	6307M JEM (C3)	6308 ZZ	63082ZRC3
AS2542	6307 DB	6307M/C3	6308 -ZZ	6308C3
AS3047+AXK3047	6307 K 2Z	6307RS	6308 ZZ	6308-C3
AS3552	6307 M/C3	6307-RS1	6308 ZZ C3	6308C3
AS4060	6307 NR/C3	6307Z	6308 ZZ HT	6308C3 2Z
AS6085	6307 RS	6307-Z	6308 ZZ/C3	6308DDUCM
AS7095	6307 RS C3	6307Z	6308 ZZ/C3 (UN)	6308-J/C4
AS90120	6307 RS/P6	6307-Z/C3	6308 ZZC3	6308NR/C3
ASE05	6307 RS1	6307Z/C3	6308	6308RS
ASNU 35	6307 Z	6307ZZ	6308 2 RS	6308-RS1/C3
AW56	6307 ZZ	6307-ZZ	6308 2Z	6308-RZ

AXK 110145	6307 ZZ	6307ZZ C3	6308 C3 2Z	6308-TN9-C3
AXK 3047	6307 ZZ (6307 NSE)	6307-ZZ/C3	6308 / C3	6308X2-2Z
AXK 85110-A	6307 ZZ (UN)	6307ZZC3	6308 2RS	6308Z
AXK100135	6307 ZZ C3	6307ZZ-C3	6308 2RS1	6308-Z
AXK1024	6307 ZZ/C3 (UN)	6307-ZZC3	6308 2RS1 C3	6308-Z/C3
AXK110145	6307 ZZC3	6307-zz-c3	6308 2RS1/C3	6308-ZC3
AXK110145 & AS110145	6307	6308 - 2RS1	6308 2Z	6308-Z-C3
AXK1226	6307 - 2RS	6308 - 2RSH/C3	6308 2Z / C3	6308-ZC3
AXK-1226	6307 - 2RS1	6308 - 2Z	6308 2Z C3	6308-ZNR
AXK130170	6307 2RS1	6308 - 2Z/C3	6308 2Z/C3	6308ZU1
AXK150190	6307 2RS1 C3	6308 ZZ	6308 2Z/GJN	6308ZZ
AXK1528	6307 2RS1/C3	6308 - ZZ-C3	6308 2ZC3	6308-ZZ
AXK160200	6307 2Z	6308 / 2z	6308 C3	6308ZZ C3
AXK160200 & AS160200	6307 2Z/C3	6308 /C3	6308 Z C3	6308-ZZ C3
AXK1730	6307 2ZC3	6308 2RS	6308 ZZ	6308-ZZ/C3
AXK2542	6307 C3	6308 2RS / ZZ	6308 ZZ C3	6308-ZZ/VA208
AXK2542-AS2542-WS81105	6307 C3	6308 2RS C3	6308 ZZ/C3	6308ZZC3
AXK3047	6307 C4	6308 2RS/C3	6308.2ZR.C3	6308ZZ-C3
AXK3047+LS3047+AS3047	6307 zz	6308 2RS1	6308.C3	6308-ZZC3
AXK3552	6307- ZZ	6308 2RS1 C3	6308.Z/C3 P6	6308-ZZ-C3
AXK360*390*5	6307.2RS1	6308 2RS1/C3	6308/C3	6308ZZ-ME8
AXK4060	6307.NR	6308 2RS1/C3WT	6308/C3VL0241	6309
AXK4565	6307.Z	6308 2RS1C3	6308/C4	6309 - 2RS1
AXK7065+LS7095/AXK7095+LS7095	6307.ZZ	6308 2RSC3	6308/VA205	6309 - 2Z
AXK7095	6307/C3	6308 2RSH	6308-2RSHS	6309 - 2Z/C3
6306ZZ/C3 (UN)	6307/C3/2Z	6308 2RSH/C3	6308-2RS	6309 - C3 (UN)
6306ZZ-2RS	6307/C4	6308 2Z	63082rs - SKF	6309 / C3
6306ZZC3	6307-2RS	6308 2Z /C3	6308-2RS C3	6309 /C3
6306-ZZC3	6307-2RS C3	6308 2Z C	6308-2RS/C3	6309 2RS
6306-ZZ-C3	6307-2RS/C3	6308 2Z C3	6308-2RS1	6309 2RS C3
6306ZZJ/C3---6306-2ZZJ/C3	6307-2RS1	6308 2Z C3	6308-2RS1 /C3	6309 2RS/C3
6307 - 2RS	6307-2RS1/C3	6308 2Z C4	6308-2RS1 C3	6309 2RS1
6307 - 2RS1/C3	6307-2RS1C3	6308 2Z	6308-2RS1/C3	6309 -2RS1
6307 - 2RSH/C3	6307-2RS1N	6308 2Z/C3	6308-2RS1/C4	6309 2RS1 C3
6307 2Z	6307-2RS-C3	6308 2Z/C3	6308-2RS1C3	6309 2RS1/C3
6307 - C3	6307-2RSH/C3	6308 2ZC3	6308-2RS1-C3GJN	6309 2RS1C3
6307 - ZZ	6307-2RSJ	6308 2ZC3	6308-2RS1NR	6309 2RS-C3

6307 2RS	63072Z	6308 2ZR C3	6308-2RSC3	6309 2RSH/C3
6307 2RS C3	6307-2Z	6308 2ZR/C3	6308-2RS-C3	6309 2Z
6307 2RS/C3	6307-2Z	6308 C 3	6308-2RS-C3	6309 -2Z
6307 2RS1	6307-2Z C3	6308 C3	6308-2RSH	6309- 2Z
6307 2RS1 C3	6307-2Z/C3	6308 C3	6308-2RZ	6309 2Z
6307 2RS1/C3	6307-2Z/C3	6308 CM	63082Z	6309 2Z
6307 2RS1C3	6307-2Z/C3GJN	6308 NR	6308-2Z	6309 2Z / C3
6307 2RSC3	6307-2Z/C4	6308 NR	6308--2Z	6309 2Z C3
6307 2RSH/C3	6307-2ZC3	6308 open	6308-2Z	6309 2Z/C3
6307 2RSINR	6307-2Z-C3	6308 or (308 GPZ)	6308-2Z C3HT	6309 -2Z/C3
6307 2RSR	6307-2Z-C4	6308 RS	6308-2Z/C3	6309 2Z/C3
6307 2Z	6307-2ZJ/C3	6308 RS/P6	6308--2Z/C3	6309 2ZC3
6307 2Z	6307-2ZJC3	6308 RS1	6308-2Z/C4	6309 2Z-C3
6307 2Z C3	6307-2Z-J-C3-K08	6308 VA201	63082ZC3	6309 2Z-J/C3
6307 2Z/C3	6307C3	6308 Z	6308-2ZC3	6309 300-350 degree
6307 2Z/C3 E	6307-C3	6308 Z C3	6308-2Z-C3	6309 C3
"6307 2z/c3	6307-J/C3	6308 Z C3	6308?2Z?C3	6309 C3
? 350 degrees?"	6307M JEM (C3)	6308 ZZ	6308-2ZR/C3	6309 C4
6307 2ZC3	6307M JEM (C3)	6308 -ZZ	63082ZRC3	6309 CA
6307 2ZNR (RANURADO) (UN)	6307M/C3	6308 ZZ	6308C3	6309 HT
6307 c3	6307RS	6308 ZZ C3	6308-C3	6309 J C3
6307 C4	6307-RS1	6308 ZZ HT	6308C3	6309 M C3
6307 C4 S2	6307Z	6308 ZZ/C3	6308C3 2Z	6309 M C3(BRASS)
6307 DB	6307-Z	6308 ZZ/C3 (UN)	6308DDUCM	6309 M/C4
6307 K 2Z	6307Z	6308 ZZC3	6308-J/C4	6309 RS1
6307 M/C3	6307-Z/C3	6308	6308NR/C3	6309 RS1
6307 NR/C3	6307Z/C3	6308 2 RS	6308RS	6309 VA228()
6307 RS	6307ZZ	6308 2Z	6308-RS1/C3	6309 Z
6307 RS C3	6307-ZZ	6308 C3 2Z	6308-RZ	6309- Z
6307 RS/P6	6307ZZ C3	6308 / C3	6308-TN9-C3	6309 Z
6307 RS1	6307-ZZ/C3	6308 2RS	-	206
-	-	-	-	207

SKF Online Parts CatalogAutomotive Light & Medium Duty ApplicationsHeavy Duty ApplicationsVIN LookupInterchangePart Information. Year: Make: Model: Product: Engine: TorquePart Interchange Search | NTN BearingNTN competes with the biggest names in the bearing industry. Chances are, if you're looking to replace your Timken, SKF, or Koyo bearing, we make a drop-in

SKF Bearings Master Interchange Master Interchange. For automotive, heavy truck, and agricultural bearings. Includes ball, cylindrical, needle, tapered, special bearings and hub assemblies SKF mobile site - ShowMeThePartsCars & Light Trucks. Med. & Heavy Duty. Cross

[Reference](#). [Part Search](#). [VIN Search](#). [Home](#). [Suppliers](#). [Knowledge](#). [Favorites](#). [Contact](#)